

LITERATUR

ALGEN UND GEFÄßPFLANZEN

ARTIKEL ZU RHODOPHYCEAE (ROTALGEN)

- BUSCHBAUM, C., MAYR, T. & SCHEUER, K. (2008): Vorkommen der invasiven Rotalge *Gracilaria vermiculophylla* und ihre ökologischen Effekte im Schleswig-Holsteinischen Wattenmeer. Landesamt für Natur und Umwelt des Landes Schleswig-Holstein, Flintbek, 1-50
- DEN HARTOG, C. (1964): Ecology of *Dasya pedicellata* in the Netherlands. Proc Int Seaweed Symp 4: 197-201
- HAMMANN, M., BUCHHOLZ, B., KAREZ, R. & WEINBERGER, F. (2013): Direct and indirect effects of *Gracilaria vermiculophylla* on native *Fucus vesiculosus*. Aquatic Invasions 8: 121-132
- HU, Z.-M. & JUAN, L.-B. (2014): Adaptation mechanisms and ecological consequences of seaweed invasions: a review case of agarophyte *Gracilaria vermiculophylla*. Biol Invasions 16: 967-976
- KORNMANN, P. & SAHLING, P.-H. (1962): Geschlechtspflanzen von *Bonnemaisonia hamifera* Hariot bei Helgoland. Helgoländer wiss Meeresunters 8: 298-301
- MAGGS, C.A. & HOMMERSAND, M.H. (1993): Seaweeds of the British Isles Vol. 1 Rhodophyta, Part 3A Ceramiales. The Natural History Museum
- MAGGS, C.A. & STEGENGA, H. (1999): Red algal exotics on North Sea coasts. Helgoländer Meeresunters 52: 243-258
- MCIVOR, L., MAGGS, C.A., PROVAN, J. & STANHOPE, M.J. (2001): *rbcL* sequences reveal multiple cryptic introductions of the Japanese red alga *Polysiphonia harveyi*. Mol Ecol 10: 911-919
- NELSON, W.A. & MAGGS, C. (1996): Records of adventive marine algae in New Zealand: *Antithamnionella ternifolia*, *Polysiphonia senticulosa* (Ceramiales, Rhodophyta), and *Striaria attenuata* (Dictyosiphonales, Phaeophyta). New Zealand J Mar Freshwater Res 30: 449-453
- NYBERG, C., THOMSEN, M.S. & WALLENTINUS, I. (2009): Flora and fauna associated with the introduced red alga *Gracilaria vermiculophylla*. Europ J Phycol 44: 395-403
- NYGREN, S. (1970): Effect of salinity on the growth of *Dasya pedicellata*. Helgoländer Meeresunters 20: 126-129
- RUENESS, J. (1992): *Ceramium cimbricum* (Rhodophyceae, Ceramiales) from Scandinavia; structure, reproduction and systematics. Nord J Bot 12: 135-140
- RUENESS, J. (2005): Life history and molecular sequences of *Gracilaria vermiculophylla* (Gracilariales, Rhodophyta), a new introduction to European waters. Phycologia 44: 120-128
- SAGERMAN J., ENGE S., PAVIA H. & WIKSTRÖM S.A.. (2015): Low feeding preference of native

herbivores for the successful non-native seaweed *Heterosiphonia japonica*. Mar Biol 162: 2471-2479

- SAHA M., WIESE J., WEINBERGER F. & WAHL M. (2016): Rapid adaptation to controlling new microbial epibionts in the invaded range promotes invasiveness of an exotic seaweed. J Ecol, doi: 10.1111/1365-2745.12590
- SAVOIE A.M. & SAUNDERS G. (2013): First record of the invasive red alga *Heterosiphonia japonica* (Ceramiales, Rhodophyta) in Canada. BiolInvasion Rec 2: 27-32
- SJØTUN K., HUSA V., PEÑA V. (2008): Present distribution and possible vectors of introductions of the alga *Heterosiphonia japonica* (Ceramiales, Rhodophyta) in Europe. Aquatic Invasions 3: 377-394
- SKAGE, M., GABRIELSEN, T.M. & RUENESS, J. (2005): A molecular approach to investigate the phylogenetic basis of three widely used species groups in the red algal genus *Ceramium* (Ceramiales, Rhodophyta). Phycologia 44: 353-360
- THOMSEN, M.S. (2010): Experimental evidence for positive effects of invasive seaweed on native invertebrates via habitat-formation in a seagrass bed. Aquatic Invasion 5: 341-346
- THOMSEN, M.S., DELUQUI GURGEL, C.F., FREDERICQ, S. & MCGLATHERTY, K.J. (2006): *Gracilaria vermiculophylla* (Rhodophyta, Gracilariiales) in Hog Island Bay, Virginia: a cryptic alien and invasive macroalga and taxonomic correction. J Phycol 42: 139-141
- THOMSEN, M.S., WERNBERG, T., STAEHR, P., NYBERG, C., KRAUSE-JENSEN, D., RISGAARD-PETERSEN, N. & SILLIMAN, B.R. (2007a): Alien macroalgae in Denmark – a broad-scale national perspective. Mar Biol Res 3: 61-72
- THOMSEN, M.S., STAEHR, P.A., NYBERG, C., SCHWAERTER, S., KRAUSE-JENSEN, D. & SILLIMAN, B.R. (2007b): *Gracilaria vermiculophylla* (Ohmi) Papenfuss, 1967 (Rhodophyta, Gracilariaceae) in northern Europe, with emphasis on Danish conditions, and what to expect in the future. Aquatic Invasions 2: 83-94
- WEINBERGER, F., BUCHHOLZ, B., KAREZ, R. & WAHL, M. (2008): The invasive red algae *Gracilaria vermiculophylla* in the Baltic Sea: adaptation to brackish water may compensate for light limitation. Aquatic Biology 3: 251-264

ARTIKEL ZU PHAEOPHYCEAE (BRAUNALGEN)

- ALBRECHT, A. & REISE, K. (1994): Effects of *Fucus vesiculosus* covering intertidal mussel beds in the Wadden Sea. Helgoländer Meeresunters 48: 243-256
- BOLTON, J.J., GERMANN, I. & LÜNING, K. (1983): Hybridization between Atlantic and Pacific representatives of the Simplices section of *Laminaria* (Phaeophyta). Phycologia 22: 133-140
- BUSCHBAUM, C. (2005): Pest oder Bereicherung? Der eingeschleppte Japanische Beerentang an der deutschen Nordseeküste. Nat Mus 135: 216-221
- ENGELEN A.H., PRIMO A.L., CRUZ T., SANTOS R. (2013): Faunal differences between the

- invasive brown macroalga *Sargassum muticum* and competing native macroalgae. *Biol Invasions* 15: 171-183
- FARNHAM, W.F., FLETCHER, R.L. & IRVINE, L.M. (1973): Attached *Sargassum* found in Britain. *Nature* 243: 231-232
- FLETCHER, R.L. & FARRELL, P. (1999): Introduced brown algae in the North East Atlantic, with particular respect to *Undaria pinnatifida* (Harvey) Suringar. *Helgoländer Meeresunters* 52: 259-275
- GRAY, P.W.G. & GARETH, JONES E.B. (1977): The attempted clearance of *Sargassum muticum* from Britain. *Environmental Conservation* 4: 303-308
- JOSEFSSON, M. & JANSSON, K. (2011): NOBANIS – Invasive Alien Species Fact Sheet – *Sargassum muticum*. From: Online database of the North European and Baltic Network on Invasive Alien Species. NOBANIS www.nobanis.org (10.07.2013)
- KREMER, B.P., KUHBIER, H. & MICHAELIS, H. (1983): Die Ausbreitung des Brauntanges *Sargassum muticum* in der Nordsee. *Nat Mus* 113: 125-130
- LANG, A.C., BUSCHBAUM, C. (2010): Facilitative effects of introduced Pacific Oysters on native macroalgae are limited by a secondary invader, the seaweed *Sargassum muticum*. *J Sea Res* 63: 119-128
- REISE, K., DANKERS, N. & ESSINK, K. (2005): Introduced species. In: ESSINK, K., DETTMANN, C., FARKE, H., LAURSEN, K., LÜERßEN, G., MARENCIC, H. & WIERSINGA, W. (eds.): *Wadden Sea Quality Status Report 2004. Wadden Sea Ecosystem No. 19. Common Wadden Sea Secretariat, Wilhelmshaven, Germany*, 155-161
- SABOUR, B., REANI, A., EL MAGOURI, H. & HAROUN, R. (2013): *Sargassum muticum* (Yendo) Fensholt (Fucales, Phaeophyta) in Morocco, an invasive marine species new to the Atlantic coast of Africa. *Aquatic Invasions* 8: 97-102
- SALVATERRA, T., GREEN, D.S., CROWE, T.P. & O'GORMAN, E.J. (2013): Impacts of the invasive alga *Sargassum muticum* on ecosystem functioning and food web structure. *Biol Invasions* 15: 2563-2576
- SCHORIES, D. & ALBRECHT, A. (1995): *Sargassum muticum* – Der japanische Beerentang im deutschen Wattenmeer. *Nat Mus* 125: 92-98
- SCHUELLER, G.H. & PETERS, A.F. (1994): Arrival of *Fucus evanescens* (Phaeophyceae) in Kiel Bight (Western Baltic). *Bot Mar* 37: 471-477
- STÆHR, P.A., PEDERSEN, M.F., THOMSEN, M.S., WERNBERG, T. & KRAUSE-JENSEN, D. (2000): Invasion of *Sargassum muticum* in Limfjorden (Denmark) and its possible impact on the indigenous macroalgal community. *Mar Ecol Prog Ser* 207: 79-88
- WALLENTINUS, I. (1999b): *Sargassum muticum* (Yendo) Fensholt, 1955. In: GOLLASCH, S., MINCHIN, D., ROSENTHAL, H. & VOIGT, M. (Hrsg.): *Exotics across the ocean. Case histories on introduced species: their general biology, distribution, range expansion and impact. Kiel 1999*, 21-30
- WIKSTRÖM, S.A., V. WACHENFELDT, T. & KAUTSKY, L. (2002): Establishment of the exotic species *Fucus evanescens* C. Ag. (Phaeophyceae) in Öresund, Southern Sweden. *Bot Mar* 45: 510-517

WIKSTRÖM, S.A. & KAUTSKY, L. (2004): Invasion of a habitat-forming seaweed: effects on associated biota. *Biol Invasions* 6: 141-150

ZAIKO, A. (2004a): *Fucus evanescens*. In: Baltic Sea Alien Species Database. S. Olenin, E. Leppakoski and D. Dauny (eds.). www.corpi.ku.lt/nemo/alien_species_directory.html

ARTIKEL ZU CHLOROPHYCEAE (GRÜNALGEN)

CHAPMAN, A.S. (1999): From introduced species to invader: what determines variation in the success of *Codium fragile* ssp. *tomentosoides* (Chlorophyta) in the North Atlantic Ocean? *Helgoländer Meeresunters* 52: 277-289

HOPKINS, C.C.E. (2002): Introduced marine organisms in Norwegian waters, including Svalbard, In: LEPPAKOSKI, E., GOLLASCH, S. & OLENIN, S. (eds.): Invasive aquatic species of Europe. Distribution, impacts and management. Kluwer Academic Publishers, Dordrecht, Boston, London, 240-252

LOUGHNANE, C.J., MCIVOR, L.M., RINDI, F., STENGEL, D.B. & GUIRY, M.D. (2008): Morphology, rbcL phylogeny and distribution of distromatic *Ulva* (Ulvophyceae, Chlorophyta) in Ireland and southern Britain. *Phycologia* 47: 416-429

MINEUR, F., COOK, E., MINCHIN, D., BOHN, K., MACLEOD, A. & MAGGS, C.A. (2012): Changing coasts: Marine aliens and artificial structures. *Oceanogr Mar Biol: Ann Rev* 50: 189-234

NIKOLAEV, I.I. (1951): On new introductions in fauna and flora of the North and the Baltic Seas from distant areas. *Zoologicheskij Zhurnal* 30: 556-561 (in Russian)

PROVAN, J., MURPHY, S. & MAGGS, C.A. (2005): Tracking the invasive history of the green alga *Codium fragile* ssp. *tomentosoides*. *Mol Ecol* 14, 189-194

SILVA, P.C. (1957): *Codium* in Scandinavian waters. *Svensk Bot Tidskr* 51: 117-134

TANNER, C.E. (1986): Investigations of the taxonomy and morphological variation of *Ulva* (Chlorophyta): *Ulva californica* Wille. *Phycologia* 25: 510-520

ZAIKO, A. (2005a): *Codium fragile*. In: Baltic Sea Alien Species Database. S. Olenin, E. Leppakoski and D. Dauny (eds.). www.corpi.ku.lt/nemo/alien_species_directory.html

ARTIKEL ZU CHAROPHYCEAE (ARMLEUCHTERALGEN)

BLÜMEL, C. & RAABE, U. (2004): Vorläufige Checkliste der Characeen Deutschlands, *Rostock Meeresbiol Beitr* 13: 9-26

HAMANN, U. & GARNIEL, A. (2002): Die Armeleuchteralgen Schleswig-Holsteins. – Rote Liste Schriftreihe des Landesamtes f. Natur und Umwelt des Landes Schleswig-Holstein, 50 pp

KOTTA, J., TORN, K., MARTIN, G., ORAV-KOTTA, H. & PAALME, T. (2004): Seasonal variation in invertebrate grazing on *Chara connivens* and *C. tomentosa* in Kõiguste Bay, NE Baltic Sea. *Helgol Mar Res* 58: 71-76

LUTHER, H. (1979): *Chara connivens* in the Baltic Sea area. Ann. Bot. Fennici 16: 141-150

SCHUBERT, H. & BLINDOW, I. (2003): Charophytes of the Baltic Sea. The Baltic Marine Biologists Publication No. 19. Alfred Krupp von Bohlen und Halbach-Stiftung

ARTIKEL ZU TRACHEOPHYTA (GEFÄßPFLANZEN)

HAEUPLER, H. & MUER, T. (2000): Bildatlas der Farn- und Blütenpflanzen Deutschlands. Bundesamt f. Naturschutz, 507 pp

LOEBL, M. (2002): Das Schlickgras *Spartina anglica* C.E.Hubbard – Ausbreitung und Habitatveränderungen im Sylter Wattenmeer. Diplomarbeit, Universität Kiel

LOEBL, M., BEUSEKOM, J.E.E. VAN & REISE, K. (2006): Is spread of the neophyte *Spartina anglica* recently enhanced by increasing temperatures? Aquat Ecol 40: 315-324

NEHRING, S. & ADSERSEN, H. (2006): NOBANIS – Invasive Alien Species Fact Sheet – *Spartina anglica*. – From: Online Database of the North European and Baltic Network on Invasive Alien Species. NOBANIS www.nobanis.org (24.07.2012)

NEHRING, S. & HESSE, K.-J. (2008): Invasive alien plants in marine protected areas: the *Spartina anglica* affair in the European Wadden Sea. Biol Invasions 10: 937-950

STOCK M. (2015): Das Schlickgras Dilemma. Jahresbericht 2015 Jagd und Artenschutz. Schleswig-Holstein, Ministerium für Energiewende, Landwirtschaft, Umwelt und ländliche Räume, 4 pp

ÜBERSICHTSARTIKEL UND LISTEN MIT ANGABEN ZU ALGEN UND/ODER GEFÄßPFLANZEN

BARTSCH, I. & KUHLENKAMP, R. (2000): The marine macroalgae of Helgoland (North Sea): an annotated list of records between 1845 and 1999. Helgol Mar Res 54: 160-189

BARTSCH, I. & KUHLENKAMP, R. (2009): Entwicklung der Makrophytenvegetation bei Helgoland vor dem Hintergrund der Wasserrahmenrichtlinie. Meeresumwelt Aktuell Nord- und Ostsee 1: 1-8

ENO, N.C., CLARK, R.A. & SANDERSON, W.G. (eds.) (1997): Non-native marine species in British waters: a review and directory. Joint Nature Conservation Committee, Peterborough, 152 pp

GITTENBERGER, A., RENSING, M., STEGENGA, H. & HOEKSEMA, B.W. (2009): Inventarisatie van de aan hard substraat gerelateerde macroflora en macrofauna in de Nederlandse Waddenzee GiMaRIS rapport 2009.11. In opdracht van het Ministerie van LNV, Team Invasieve Exoten

GITTENBERGER, A., RENSING, M., STEGENGA, H. & HOEKSEMA, B.W. (2010): Native and non-native species of hard substrata in the Dutch Wadden Sea. Ned Faun Meded 33: 21-76

GOLLASCH, S. & NEHRING, S. (2006): National checklist for aquatic species in Germany Aquatic invasions 1: 245–269

- GOLLASCH, S., HAYDAR, D., MINCHIN, D., WOLFF, W.J. & REISE, K. (2009): Introduced Aquatic Species of the North Sea Coasts and Adjacent Brackish Waters. In: RILOV, G. & CROOKS, J.A. (eds.): Biological invasions in marine ecosystems, Chapter 29: 507-528 Ecological Studies 204, Springer-Verlag Berlin Heidelberg 2008
- HOPKINS, C.C.E. (2002): Introduced marine organisms in Norwegian waters, including Svalbard, In: LEPPAKOSKI, E., GOLLASCH, S. & OLENIN, S. (eds.): Invasive aquatic species of Europe. Distribution, impacts and management. Kluwer Academic Publishers, Dordrecht, Boston, London, 240-252
- JANSSON, K. (1994): Alien Species in the Marine Environment. Introductions to the Baltic Sea and the Swedish West Coast. Solna, Swedish Environmental Protection Agency: 68 pp
- KERCKHOF, F., HAELTERS, J. & GOLLASCH, S. (2007): Alien species in the marine and brackish water ecosystems: the situation in Belgian waters. Aquatic Invasions 2: 243-257
- KOLBE, K. (2006): Bewertungssystem nach WRRL für Makroalgen und Seegräser der Küsten- und Übergangsgewässer der FGE Weser und Küstengewässer der FGE Elbe. NLWKN Betriebsstelle Brake/Oldenburg, 1-99
- KORNMANN, P. & SAHLING, P.-H. (1977/1983): Meeresalgen von Helgoland. Benthische Grün, Braun- und Rotalgen. Helgoländer wiss Meeresunters 29: 1-289, 1. und 2. Aufl.
- KORNMANN, P. & SAHLING, P.-H. (1994): Meeresalgen von Helgoland. Zweite Ergänzung. Helgoländer Meeresunters 48: 365-406
- LACKSCHEWITZ, D., REISE, K. & BUSCHBAUM, C. (2009, 2010, 2011): Schnellerfassung von Neobiota in deutschen Küstengewässern. Im Auftrag des Landesamtes für Landwirtschaft, Umwelt und ländliche Räume des Landes Schleswig-Holstein
- LACKSCHEWITZ, D., REISE, K. & BUSCHBAUM, C. (2012, 2013): Neobiota. In: Monitoring und Bewertung des Benthos, der Lebensraumtypen/Biotope und der Gebietsfremden Arten (Cluster 4, Benthosmonitoring, Synthetischer Jahresbericht)
- LUND, S. (1949): Immigration of Algae into Danish Waters. Nature 164; 616
- MINCHIN, D. (2007): A checklist of alien and cryptogenic aquatic species in Irland. Aquatic Invasions 2: 341-366
- MINCHIN, D., COOK, E.J. & CLARK, P.F. (2013): Alien species in British brackish and marine waters. Aquatic Invasions 8, Suppl: 3-19
- NIELSEN, R. (2005): Danish seaweeds. Botanical museum Copenhagen, Denmark (Die im Dateiordner 'Publikationen' eingestellten Seiten entsprechend nicht den für die Broschüre 'Neobiota in deutschen Küstengewässern' verwendeten online-Seiten. Diese existieren nicht mehr im Netz.)
- NIELSEN, R., KRISTIANSEN, A., MATHIESEN, L. & MATHIESEN, H. (1995): Distributional index of the benthic macroalgae of the Baltic Sea area, Acta Bot Fennica 155: 1-51
- NYBERG, C.D. (2007): Introduced marine macroalgae and habitat modifiers – their ecological role and significant attributes. Doctoral Thesis, Dept of Mar Ecol, Göteborg University, 61 pp

- REISE, K., DANKERS, N. & ESSINK, K. (2005): Introduced species. In: ESSINK, K., DETTMANN, C., FARKE, H., LAURSEN, K., LÜERßEN, G., MARENCIC, H. & WIERSINGA, W. (eds.): Wadden Sea Quality Status Report 2004. Wadden Sea Ecosystem No. 19. Common Wadden Sea Secretariat, Wilhelmshaven, Germany, 155-161
- SCHORIES, D., ALBRECHT, A. & LOTZE, H. (1997): Historical changes and inventory of macroalgae from Königshafen Bay in the Northern Wadden Sea. *Helgoländer Meeresunters* 51: 321-341
- SCHORIES, D. & SELIG, U. (2006): Die Bedeutung eingeschleppter Arten (alien species) für die Europäische Wasserrahmenrichtlinie am Beispiel der Ostsee. *Rostock Meeresbiol Beitr* 15: 147-158
- SCHORIES, D., SELIG, U. & SCHUBERT, H. (2009): Species and synonym list of the German macroalgae based on historical and recent records. *Rostock Meeresbiol Beitr* 21, 135 pp
- THOMSEN, M.S., WERNBERG, T., STAEHR, P., NYBERG, C., KRAUSE-JENSEN, D., RISGAARD-PETERSEN, N. & SILLIMAN, B.R. (2007a): Alien macroalgae in Denmark – a broad-scale national perspective. *Mar Biol Res* 3: 61-72
- WALLENTINUS, I. (1999a): Introduction and transfer of plants. In: MUNRO, A.L.S., UTTING, S.D. & WALLENTINUS, I. (eds.): Status of introductions of non-indigenous marine species to North Atlantic waters 1981-1990. ICES Cooperative Research Report 231: 1-43
- WALLENTINUS, I. (2002): Introduced marine algae and vascular plants in European aquatic environments. In: LEPPAKOSKI, E., GOLLASCH, S. & OLENIN, S. (eds.): Invasive aquatic species of Europe. Distribution, impacts and management. Kluwer Academic Publishers, Dordrecht, Boston, London, 27-52
- WEIDEMA, I.R. (2000): Introduced species in the Nordic Countries, *Nord*, 13: 242 pp
- WOLFF, W.J. (2005): Non-indigenous marine and estuarine species in The Netherlands. *Zool Meded* 79: 1-116

Listen und Internetquellen zu Neophyta

HELCOM HOLAS Liste 2009
ICES Report No. 284, 2007

www.algaebase.org

www.aquatic-aliens.de

www.corpi.ku.lt/nemo/alien_species_directory.html (Baltic Sea Alien Species Database),
aufgegangen in: <http://www.corpi.ku.lt/databases/index.php/aquanis/>

www.discoverlife.org

www.europe-aliens.org/index.jsp (DAISIE Datenbank)

www.floraweb.de

www.frammandearter.se

www.marinespecies.org (WoRMS – World Register of Marine Species)

www.nobanis.org