

## LITERATUR

### PORIFERA (SCHWÄMME)

#### ARTIKEL ZU PORIFERA (SCHWÄMME )

- VAN SOEST, R.W.M. (1976): First European record of *Haliclona loosanoffi* Hartman, 1958 (Porifera, Haplosclerida), a species hitherto known only from the New England coast (U.S.A.). *Beaufortia* 24: 177-187
- VAN SOEST, R.W.M. (1977): Marine and freshwater sponges (Porifera) of the Netherlands. *Zool Meded* 50: 261-273
- VAN SOEST, R.W.M., KLUIJVER, M.J. DE, BRAGT, P.H. VAN, FAASSE, M., NIJLAND, R., BEGLINGER, E.J., WEERDT, W.H. DE & VOOGD, N.J. DE (2007): Sponge invaders in Dutch coastal waters. *J Mar Biol Ass U.K.* 87: 1733-1748

### COELENTERATA (HOHLTIERE)

#### ARTIKEL ZU CTENOPHORA (RIPPENQUALLEN )

- ANTAJAN, E., BASTIAN, T., RAUD, T., BRYLINSKI, J.-M., HOFFMANN, S., BRETON, G., CORNILLE, V., DELEGRANGE, A. & VINCENT, D. (2014): The invasive ctenophore *Mnemiopsis leidyi* A. Agassiz, 1865 along the English Channel and the North Sea French coasts: another introduction pathway in northern European waters? *Aquatic Invasions* 9: 167-173
- BILIO, M. & NIERMANN, U. (2004): Is the comb jelly really to blame for it all? *Mnemiopsis leidyi* and the ecological concerns about the Caspian Sea. *Mar Ecol Prog Ser* 269: 173-183
- BOERSMA, M., MALZAHN, A.M., GREVE, W. & JAVIDPOUR, J. (2007): The first occurrence of the ctenophore *Mnemiopsis leidyi* in the North Sea. *Helgol Mar Res* 61: 153-155
- DIDŽIULIS, V. (2013): NOBANIS – Invasive Alien Species Fact Sheet – *Mnemiopsis leidyi*. From: Online Database of the North European and Baltic Network on Invasive Alien Species – NOBANIS [www.nobanis.org](http://www.nobanis.org) (10.07.2013)
- FAASSE, M. & BAYHA, K.M. (2006): The ctenophore *Mnemiopsis leidyi* A. Agassiz 1865 in coastal waters of the Netherlands: an unrecognized invasion? *Aquatic Invasions* 1: 270-277
- GALIL, B.S. & GEVILI, R. (2013): A moveable feast: *Beroe cucumis sensu* Mayer, 1912 (Ctenophora; Beroida; Beroidae) preying on *Mnemiopsis leidyi* A. Agassiz 1865 (Ctenophora; Lobata; Bolinopsidae) off the Mediterranean coast of Israel. *BiolInvasions Records* 2(3): 191-194
- GHABOOLI, S., SHIGANOVA, T., ZHAN, A., CRISTECU, M.E., EGHTESEADI-ARAGHI, P. & MACISAAC, H.J. (2011): Multiple introductions and invasion pathways for the invasive ctenophore *Mnemiopsis leidyi* in Eurasia. *Biol Invasions* 13: 679-690
- GINDERBEUREN, K. VAN, HOSTENS, K., HOFFMAN, S., VANSTEENBRUGGE, L., SOENEN, K., DE BLAUWE, H., ROBBENS, J. & VINCX, M. (2012): Distribution of the invasive ctenophore *Mnemiopsis leidyi* in the Belgian part of the North Sea. *Aquatic Invasions* 7: 163-169

- GOROKHOVA, E., LETINIEMI, M., VIITASALO-FRÖSEN, S. & HADDOCK, S.H.D. (2009): Molecular evidence for the occurrence of ctenophore *Mertensia ovum* in the northern Baltic Sea and implications for the status of the *Mnemiopsis leidyi* invasion. *Limnol Oceanogr* 54: 2025-2033
- HAMER, H.H., MALZAHN, A.M. & BOERSMA, M. (2011): The invasive ctenophore *Mnemiopsis leidyi*: a threat to fish recruitment in the North Sea? *J Plankton Res* 33: 137-144
- HANSSON, H. (2006): Ctenophores of the Baltic and adjacent Seas – the invader *Mnemiopsis* is here! *Aquatic Invasions* 1: 295-298
- HOSIA A., FALKENHAUG T. (2015): Invasive Ctenophore *Mnemiopsis leidyi* in Norway. *Mar Biodiv Rec* 8: e31, 1-9, publ. online
- IVANOV, V.P., KAMAKIN, A.M., USHIVTZEV, V.B., SHIGANOVA, T., ZHUKOVA, O., ALADIN, N., WILSON, S.I., HARBISON, G.R. & DUMONT, H.J. (2000): Invasion of the Caspian Sea by the comb jellyfish *Mnemiopsis leidyi* (Ctenophora). *Biol Invasions* 2: 255-258
- JANAS, U. & ZGRUNDO, A. (2007): First record of *Mnemiopsis leidyi* A. Agassiz, 1865 in the Gulf of Gdansk (southern Baltic Sea). *Aquatic Invasions* 2: 450-454
- JAVIDPOUR, J., SOMMER, U. & SHIGANOVA, T.A. (2006): First record of *Mnemiopsis leidyi* A. Agassiz 1865 in the Baltic Sea. *Aquat. Invasions* 1: 299-302
- KELLNREITNER, F., POCKBERGER, M. & ASMUS, H. (2013): Feeding interactions between the introduced ctenophore *Mnemiopsis leidyi* and juvenile herring *Clupea harengus* in the Wadden Sea. *Biol Invasions* 15: 871-884
- KIDEYS, A.E. (1994): Recent dramatic changes in the Black Sea ecosystem: the reason for the sharp decline in the Turkish anchovy fisheries. *J Mar Syst* 5: 171-181
- KIDEYS, A.E. (2002): The comb-jelly *Mnemiopsis leidyi* in the Black Sea. In: LEPPAKOSKI, E., GOLLASCH, S. & OLENIN, S. (eds.): *Invasive aquatic species of Europe. Distribution, impacts and management*. Kluwer Academic Publishers, Dordrecht, Boston, London, 56-61
- KUBE, S., POSTEL, L., HONNEF, C. & AUGUSTIN, C.B. (2007): *Mnemiopsis leidyi* in the Baltic Sea – distribution and overwintering between autumn 2006 and spring 2007. *Aquatic Invasions* 2: 137-145
- LEHTINIEMI, M., PÄÄKKÖNEN, J.-P., FLINKMAN, J., KATAJISTO, T., GOROKHOVA, E., KARJALAINEN, M., VIITASALO, S. & BJÖRK, H. (2007): Distribution and abundance of the American combjelly (*Mnemiopsis leidyi*) – A rapid invasion to the northern Baltic Sea during 2007. *Aquatic Invasions* 2: 445-449
- LEHTINIEMI, M., LEHMANN, A., JAVIDPOUR, J. & MYRBERG, K. (2012): Spreading and physico-biological reproduction limitations of the invasive American comb jelly *Mnemiopsis leidyi* in the Baltic Sea. *Biol Invasions* 14: 341-354
- OLIVEIRA, O.M.P. (2007): The presence of the ctenophore *Mnemiopsis leidyi* in the Oslofjorden and considerations on the initial invasion pathways to the North and Baltic Seas. *Aquatic Invasions* 2: 185-189
- PURCELL, J.E., SHIGANOVA, T.A., DECKER, M.B. & HOUDE, E.D. (2001): The ctenophore *Mnemiopsis* in native and exotic habitats: U.S. estuaries versus the Black Sea basin. *Hydrobiologia* 451: 145-176

- REUSCH, T.B.H., BOLTE, S., SPARWEL, A.G., MOSS, A.G. & JAVIDPOUR, J. (2010): Microsatellites reveal origin and genetic diversity of Eurasian invasions by one of the world's most notorious marine invader, *Mnemiopsis leidyi* (Ctenophora). *Mol Ecol* 19: 2690-2699
- RIISGARD, H.U., BARTH-JENSEN, C. & MADSEN, C.V. (2010): High abundance of the jellyfish *Aurelia aurita* excludes the invasive ctenophore *Mnemiopsis leidyi* to establish in a shallow cove (Kertinge Nor, Denmark). *Aquatic Invasions* 5: 347-356
- RIISGARD, H.U., MADSEN, C.V., BARTH-JENSEN, C. & PURCELL, J.E. (2012): Population dynamics and zooplankton-predation impact of the indigenous scyphozoan *Aurelia aurita* and the invasive ctenophore *Mnemiopsis leidyi* in Limfjorden (Denmark). *Aquatic Invasions* 7: 147-162
- SCHABER, M., HASLOB, H., HUWER, B., HARJES, A., HINRICHSSEN, H.-H., STORR-PAULSEN, M., SCHMIDT, J.O., VOSS, R., NEUMANN, V. & KÖSTER, F. (2011): Spatio-temporal overlap of the alien invasive ctenophore *Mnemiopsis leidyi* and ichthyoplankton in the Bornholm Basin. *Biol Invasions* 13: 2647-2660
- TENDAL, O.S., JENSEN, K.R. & RIISGARD, U. (2007): Invasive ctenophore *Mnemiopsis leidyi* widely distributed in Danish waters. *Aquatic Invasions* 2: 455-460

## ARTIKEL ZU CNIDARIA (NESSELTIERE )

### HYDROZOA (HYDROIDEN)

- BAKKER, C. (1980): On the distribution of *Gonionemus vertens* A. Agassiz (Hydrozoa, Limnomedusae), a new species in the eelgrass beds of Lake Grevelingen (S. W. Netherlands). *Aquatic Ecology* 14: 186-195
- EDWARDS, C. (1977): A study in erratic distribution: The occurrence of the medusa *Gonionemus* in relation to the distribution of oysters. *Adv Mar Biol* 14: 251-284
- FROST, J.R., JACOBY, C.A. & YOUNGBLUTH, M.J. (2010): Behaviour of *Nemopsis bachei* L. Agassiz, 1849 medusae in the presence of physical gradients and biological thin layers. *Hydrobiologia* 645: 97-111
- GOVINDARAJAN, A.F. & CARMAN M.R. (2016): Possible cryptic invasion of the Western Pacific toxic population of the hydromedusa *Gonionemus vertens* (Cnidaria: Hydrozoa) in the Northwestern Atlantic Ocean. *Biol Invasions* 18: 463-469
- HARTLAUB, C. (1911): Craspedote Medusen. 1. Teil, 2. Lief.: Familie III Margelidae. In: BRANDT, K. & APSTEIN, C. (Hrsg.), Nordisches Plankton. Lipsius und Tischler, Kiel und Leipzig. 137-236
- KÜNNE, C. (1952): Untersuchungen über das Großplankton in der deutschen Bucht und im Nordsylder Wattenmeer. *Helgoländer wiss Meeresunters* 4: 1-54
- SCHÖNBORN, C., ARNDT, E.A. & GOSSELCK, F. (1993): Bestimmungsschlüssel der benthischen Hydrozoen der Ostsee. *Mitt Zool Mus Berl* 69: 201-253

- STEPANJANTS, S.D., TIMOSHKIN, O.A., ANOKHIN, B.A. & NAPARA, T.O. (2000): A new species of *Pachycordyle* (Hydrozoa, Clavidae) from Lake Biwa (Japan), with remarks on this and related genera. *Sci Mar* 64, Suppl 1: 225-236
- TAMBS-LYCHE, H. (1964): *Gonionemus vertens* L. Agassiz (Limnomedusae) – a zoogeographical puzzle. *Sarsia* 15: 1-8
- THIEL, H. (1962): *Clavopsella quadranularia* nov. spec. (Clavopsellidae nov. fam.), ein neuer Hydroidpolyp aus der Ostsee und seine phylogenetische Bedeutung. *Z Morph Ökol Tiere* 51: 227-260
- THIEL, M.E. (1968): Die Einwanderung der Hydromeduse *Nemopsis bachei* L. Ag. aus dem ostamerikanischen Küstengebiet in die westeuropäischen Gewässer und die Elbmündung. *Abh Verh Naturw Ver Hamburg, N.F.* 12: 81-94
- ULRICH, W. (1926): Über das Vorkommen der *Victorella pavidata* Kent und einiger anderer Bryozoen im Brackwasser des Rostocker Hafens. *Zoomorph* 5: 559-576
- VERVOORT, W. (1964): Note on the distribution of *Garveia franciscana* (Torrey, 1902) and *Chordylophora caspia* (Pallas, 1771) in the Netherlands. *Zool Meded* 39: 125-146

## ANTHOZOA (BLUMENTIERE)

- GOLLASCH, S. & RIEMANN-ZÜRNECK, K. (1996): Transoceanic dispersal of benthic macrofauna: *Haliplanella luciae* (Verill, 1898) (Anthozoa, Actiniaria) found on a ship's hull in a shipyard dock in Hamburg Harbour, Germany. *Helgoländer Meeresunters* 50: 253-258
- MANUEL, R.L. (1981): British Anthozoa. Synopses of the British Fauna, No. 18; Academic Press, London New York Toronto Sydney San Francisco
- OLSEN, A.K. & TENDAL, O.S. (2012): Förste fund af orangestribet søanemone, *Diadumene lineata* (Verill, 1869) (Anthozoa: Actiniaria), i Danmark. *Flora og Fauna* 118: 1-6
- SAUNDERS, G.W., HAWKINS, N. & WILKIN, S. (2013): A survey of Sam Orr's Pond (New Brunswick, Canada) uncovers the invasive green alga *Codium fragile* (Chlorophyta) and the orange-striped green anemone *Diadumene lineata* (Cnidaria), first records for the Bay of Fundy and Canada, respectively. *BiolInvasions Records* 2: 185-189
- SHICK, J.M. & LAMB, A.N. (1977): Asexuell reproduction and genetic population structure in the colonizing sea anemone *Haliplanella luciae*. *Biol Bull* 153: 604-617
- TING, J.H. & GELLER, J.B. (2000): Clonal diversity in introduced populations of an Asian sea anemone in North America. *Biol Invasions* 2: 23-32

## ÜBERSICHTSARTIKEL UND LISTEN MIT ANGABEN ZU PORIFERA UND COELENTERATA

- BARNES, R.S.K. (1994): The brackish-water fauna of northwestern Europe – An identification guide to brackish-water habitats, ecology and macrofauna for field workers, naturalists and students. Cambridge University Press, 287 pp

- BUSCHBAUM, C., LACKSCHEWITZ, D. & REISE, K. (2012): Nonnative macrobenthos in the Wadden Sea ecosystem. *Ocean & Coastal Management* 68: 89-101
- DITTMER, J.D. (1981): The distribution of subtidal macrobenthos in the estuaries of the rivers Ems and Weser In: DANKERS, N., KÜHL, H. & WOLFF, W. (Hrsg.): *Invertebrates of the Wadden Sea, Report 4*. Balkema Rotterdam, 188-206
- ENO, N.C., CLARK, R.A. & SANDERSON, W.G. (eds.) (1997): *Non-native marine species in British waters: a review and directory*. Joint Nature Conservation Committee, Peterborough, 152 pp
- GITTENBERGER, A., RENSING, M., STEGENGA, H. & HOEKSEMA, B.W. (2010): Native and non-native species of hard substrata in the Dutch Wadden Sea. *Ned Faun Meded* 33: 21-76
- GOLLASCH, S. & NEHRING, S. (2006): National checklist for aquatic species in Germany *Aquatic invasions* 1: 245–269
- GOLLASCH, S., HAYDAR, D., MINCHIN, D., WOLFF, W.J. & REISE, K. (2009): Introduced Aquatic Species of the North Sea Coasts and Adjacent Brackish Waters. In: RILOV, G. & CROOKS, J.A. (eds.): *Biological invasions in marine ecosystems*, Chapter 29: 507-528 *Ecological Studies* 204, Springer-Verlag Berlin Heidelberg 2008
- HARMS, J. (1993): Check list of species (algae, invertebrates and vertebrates) found in the vicinity of the island of Helgoland (North Sea, German Bight) – a review of recent records. *Helgoländer Meeresunters* 47: 1-34
- HAYWARD, P.J. & RYLAND, J.S. (1990): *The Marine fauna of the British Isles and North-West Europe*, Vol. 1 & 2. Oxford Science Publications, Clarendon Press, Oxford, 1990
- JAHNKE, K. & KREMER, B.P. (2010): *Düne, Strand und Wattenmeer*. Kosmos Verlag, 319 pp
- JENSEN, K. & KNUDSEN, J. (2005): A summary of alien marine benthic invertebrates in Danish waters. *Oceanol Hydrobiol Stud* 34, Suppl 1: 137-162
- KERCKHOF, F., HAELTERS, J. & GOLLASCH, S. (2007): Alien species in the marine and brackish water ecosystems: the situation in Belgian waters. *Aquatic Invasions* 2: 243-257
- KLUIJVER, M.J. (1991): Sublittoral hard substrate communities off Helgoland. *Helgoländer Meeresunters* 45: 317-344
- LACKSCHEWITZ, D., REISE, K. & BUSCHBAUM, C. (2009, 2010, 2011): Schnellerfassung von Neobiota in deutschen Küstengewässern. Im Auftrag des Landesamtes für Landwirtschaft, Umwelt und ländliche Räume des Landes Schleswig-Holstein
- MINCHIN, D., COOK, E.J. & CLARK, P.F. (2013): Alien species in British brackish and marine waters. *Aquatic Invasions* 8, Suppl: 3-19
- NEHRING, S. (2000a): Neozoen im Makrozoobenthos der deutschen Ostseeküste. *Lauterbornia* 39: 117-126
- NEHRING, S. & LEUCHS, H. (1999a): Neozoa (Makrobenthos) an der deutschen Nordseeküste. Eine Übersicht. Bundesanstalt für Gewässerkunde, Koblenz. 131 pp

- NEHRING, S. & LEUCHS, H. (2000): Neozoen im Makrozoobenthos der Brackgewässer an der deutschen Nordseeküste. *Lauterbornia* 39: 73-116
- POST, D. & LANDMANN, M. (1994): Verbreitungsatlas der Fließgewässerfauna in Ostfriesland. Staatl Amt Wasser Abfall, 141 S.
- STREFTARIS, N., ZENETOS, A. & PAPATHANASSIOU, E. (2005): Globalisation in marine ecosystems: The story of non-indigenous marine species across European seas. *Oceanograph Mar Biol: Ann Rev* 43: 419-453
- TITTIZER, T. (1997): Ausbreitung aquatischer Neozoen (Makrobenthos) in den europäischen Wasserstraßen, erläutert am Beispiel des Main-Donau-Kanals Schriftenreihe des Bundesamtes f. Wasserwirtschaft 4: 113-134
- WITTFOTH, A.K.J. & ZETTLER, M.L. (2013): The application of a Biopollution Index in German Baltic estuarine and lagoon waters. *Management of Biol Invasions* 4: 43-50
- WOLFF, W.J. (2005): Non-indigenous marine and estuarine species in The Netherlands. *Zool Meded* 79: 1-116

## **Listen und Internetquellen zu Porifera und Coelenterata**

HELCOM MONAS 11/2008, Document 4/2

HELCOM List of non-indigenous and cryptogenic species in the Baltic Sea (version 2) 2010

[www.aquatic-aliens.de](http://www.aquatic-aliens.de)

[www.capenews.net](http://www.capenews.net) (<http://archive.capenews.net/communities/mashpee/news/469>)

[www.europe-aliens.org/index.jsp](http://www.europe-aliens.org/index.jsp) (DAISIE Datenbank)

[www.frammandearter.se](http://www.frammandearter.se)

[www.glaucus.org.uk](http://www.glaucus.org.uk)

[www.marinespecies.org](http://www.marinespecies.org) (WoRMS – World Register of Marine Species)

[www.marlin.ac.uk](http://www.marlin.ac.uk)

[www.tauchprojekt.de](http://www.tauchprojekt.de)

[www.umces.edu](http://www.umces.edu)