

## LITERATUR

### TUNICATA (MANTELTIERE)

- BEN-SHLOMO, R., PAZ, G. & RINKEVICH, B. (2006): Postglacial-period and recent invasions shape the population genetics of Botryllid ascidians along European Atlantic coasts. *Ecosystems* 9: 1118-1127
- BERMAN, J., HARRIS, L., LAMBERT, W., BUTTRICK, M. & DUFRESNE, M. (1992): Recent Invasions of the Gulf of Maine: Three contrasting ecological histories. *Conservation Biology* 6: 435-441
- BRUNETTI, N. & CUOMO, C. (2014): Distribution of the invasive tunicate *Styela clava* in Long Island Sound, New England, USA. *BioInvasions Records* 3: 13-19
- CLARKE, C.L. & THERRIAULT, T.W. (2007): Biological synopsis of the invasive tunicate *Styela clava* (Herdman 1881). Canadian Manuscript Report of Fisheries and Aquatic Sciences 2807, 23 pp
- DARBYSON, E.A., HANSON, J.M., LOCKE, A. & WILLISON J.H.M. (2009): Settlement and potential for transport of clubbed tunicate (*Styela clava*) on boat hulls. *Aquatic Invasions* 4: 95-103
- DAVIS, M.H. & DAVIS, M.E. (2008): First record of *Styela clava* (Tunicata, Ascidiacea) in the Mediterranean region. *Aquatic Invasions* 3: 125-132
- DAVIS, M.H., LÜTZEN, J. & DAVIS, M. (2007): The spread of *Styela clava* Herdman, 1882 (Tunicata, Ascidiacea) in European waters. *Aquatic Invasions* 2: 378-390
- DUPONT, L., VIARD, F., DAVIS, M.H., NISHIKAWA, T. & BISHOP, J.D.D. (2010): Pathways of spread of the introduced ascidian *Styela clava* (Tunicata) in Northern Europe, as revealed by microsatellite markers. *Biol Invasions* 12: 2707-2721
- GITTENBERGER, A. (2009): Invasive tunicates on Zeeland and Prince Edward Island mussels, and management practices in the Netherlands. *Aquatic Invasions* 4: 279-281
- GITTENBERGER, A. & MOONS, J.J.S. (2011): Settlement and possible competition for space between the invasive violet tunicate *Botrylloides violaceus* and the native tunicate *Botryllus schlosseri* in The Netherlands. *Aquatic Invasions* 6: 435-440
- GROEPLER, W. (2012): Die Seescheiden von Helgoland. Die Neue Brehm-Bücherei Bd. 673, Westarp Wissenschaften, Hohenwarsleben, 454 pp
- HAYDAR, D., HOARAU, G., OLSEN, J., STAM, W.T. & WOLFF, W. (2011): Introduced or glacial relict? Phylogeography of the cryptogenic tunicate *Molgula manhattensis* (Ascidiacea, Pleurogona). *Diversity Distrib* 17: 68-80
- KARNEY, R.C. & RHEE, W.Y. (2009): Market potential for *Styela clava*, a non-indigenous pest invading New England coastal waters. *Aquatic Invasions* 4: 295-297
- KRONE, R., WANKE, C. & SCHRÖDER, A. (2007): A new record of *Styela clava* Herdman, 1882 (Urochordata, Ascidiacea) from the central German Bight. *Aquatic Invasions* 2: 442-444

- LAMBERT, G. (2005): First North American record of the ascidian *Perophora japonica*. J Mar Biol Ass U.K. 85: 1011-1012
- LAMBERT, C.C. & LAMBERT, G. (1998): Non-indigenous ascidians in southern California harbors and marinas. Mar Biol 130: 675-688
- LIEBICH, V. (2007): Die eingeschleppte Seescheide *Styela clava* im Ökosystem Wattenmeer – Bedrohung oder Gewinn? Diplomarbeit Univ. Berlin, 47 pp
- LOCKE A. (2009): A screening procedure for potential tunicate invaders of Atlantic Canada. Aquatic Invasions 4: 71-79
- LÓPEZ-LEGENTIL, S., TURON, X. & PLANES, S. (2006): Genetic structure of the star sea squirt, *Botryllus schlosseri*, introduced in southern European harbours. Mol Ecol 15: 3957-3967
- LÜTZEN, J. (1999): *Styela clava* (Urochordata, Ascidiacea), a successful immigrant to North West Europe: ecology, propagation and chronology of spread. Helgoländer Meeresunters 52: 383-391
- MILLAR, R.H. (1970): British Ascidians. Synopses of the British Fauna No. 1. Academic Press, London
- NISHIKAWA, T., BISHOP, J.D.D. & SOMMERFELDT, A.D. (2000): Occurrence of the alien ascidian *Perophora japonica* at Plymouth. J Mar Biol Ass U.K. 80: 955-956
- PETERSEN, J.K. & SVANE, I. (2002): Filtration rate in seven Scandinavian ascidians: implications of the morphology of the gill sac. Mar Biol 140: 397-402
- RAMSAY, A., DAVIDSON, J., LANDRY, T. & ARSENAULT, G. (2008): Process of invasiveness among exotic tunicates in Prince Edward Island, Canada. Biol Invasions 10: 1311-1316
- VANCE, T., LAUTERBACH, L., LENZ, M., WAHL, M., SANDERSON, R.A. & THOMASON, J.C. (2009): Rapid invasion and ecological interactions of *Diplosoma listerianum* in the North Sea, U.K. Mar Biodivers Rec 2, e59, 5 pp
- WONG, M.C. & VERCAEMER, B. (2012): Effects of invasive colonial tunicates and a native sponge on the growth, survival, and light attenuation of eelgrass (*Zostera marina*). Aquatic Invasions 7: 315-326

## ÜBERSICHTSARTIKEL UND LISTEN MIT ANGABEN ZU TUNICATA

- ARENAS, F., BISHOP, J.D.D., CARLTON, J.T., DRYNDA, P.J., FARNHAM, W.F., GONZALEZ, D.J., JACOBS, M.W., LAMBERT, C., LAMBERT, G., NIELSEN, S.E., PEDERSON, J.A., PORTER, J.S., WARD, S. & WOOD, C.A. (2006): Alien species and other notable records from a rapid assessment survey of marinas on the south coast of England. J Mar Biol Ass U. K. 86: 1329-1337
- GITTENBERGER, A., RENSING, M., STEGENGA, H. & HOEKSEMA, B.W. (2010): Native and non-native species of hard substrata in the Dutch Wadden Sea. Ned Faun Meded 33: 21-76

- GOLLASCH, S., HAYDAR, D., MINCHIN, D., WOLFF, W.J. & REISE, K. (2009): Introduced Aquatic Species of the North Sea Coasts and Adjacent Brackish Waters. In: RILOV, G. & CROOKS, J.A. (eds.): Biological invasions in marine ecosystems, Chapter 29: 507-528 Ecological Studies 204, Springer-Verlag Berlin Heidelberg 2008
- HARMS, J. (1993): Check list of species (algae, invertebrates and vertebrates) found in the vicinity of the island of Helgoland (North Sea, German Bight) – a review of recent records. *Helgoländer Meeresunters* 47: 1-34
- HAYDAR, D. (2010): What is natural? The scale and consequences of marine bioinvasions in the North Atlantic Ocean. Proefschriftter verkrijging van Natuurwetenschappen aan de Rijksuniversiteit. Groningen (Dissertation, Univ. Groningen), 184 pp
- HAYWARD, P.J. & RYLAND, J.S. (1990): The Marine fauna of the British Isles and North-West Europe, Vol. 1 & 2. Oxford Science Publications, Clarendon Press, Oxford, 1990
- HAYWARD, P.J. & RYLAND, J.S. (1995): Handbook of the Marine Fauna of North-West Europe. Oxford Univ. Press
- JENSEN, K. & KNUDSEN, J. (2005): A summary of alien marine benthic invertebrates in Danish waters. *Oceanol Hydrobiol Stud* 34, Suppl 1: 137-162
- KERCKHOF, F., HAELTERS, J. & GOLLASCH, S. (2007): Alien species in the marine and brackish water ecosystems: the situation in Belgian waters. *Aquatic Invasions* 2: 243-257
- LACKSCHEWITZ, D., REISE, K. & BUSCHBAUM, C. (2009, 2010, 2011): Schnellerfassung von Neobiota in deutschen Küstengewässern. Im Auftrag des Landesamtes für Landwirtschaft, Umwelt und ländliche Räume des Landes Schleswig-Holstein
- LACKSCHEWITZ, D., REISE, K. & BUSCHBAUM, C. (2012, 2013): Neobiota. In: Monitoring und Bewertung des Benthos, der Lebensraumtypen/Biotope und der Gebietsfremden Arten (Cluster 4, Benthosmonitoring, Synthetischer Jahresbericht)
- MINCHIN, D., COOK, E.J. & CLARK, P.F. (2013): Alien species in British brackish and marine waters. *Aquatic Invasions* 8, Suppl: 3-19
- REISE, K. (1998): Pacific Oysters invade mussel beds in the European Wadden Sea. *Senckenbergiana marit*, 28: 167-175
- WOLFF, W.J. (2005): Non-indigenous marine and estuarine species in The Netherlands. *Zool Meded* 79: 1-116

## Listen und Internetquellen zu Tunicata

- [www.exoticsguide.org](http://www.exoticsguide.org)  
[www.frammandearter.se](http://www.frammandearter.se)  
[www.nobanis.org](http://www.nobanis.org)